

acknowledgment of Applicants' Information Disclosure Statements by return of the Form PTO-1449.

Applicants note that the drawings were objected to as failing to illustrate a feature recited in claim 6. However, as noted by Applicants' attorney, Mr. William E. Lyddane, in the telephone discussion with Examiner Frankie L. Stinson on November 2, 2005, the material of the airflow ducts is clearly understood from reading the first full paragraph on page 7 of Applicants' specification. Accordingly, it was believed to be understood at that time that the Examiner agreed to withdraw the objection and permit the application to proceed to issue.

Accordingly, claims 1-9 are currently pending and Applicants respectfully request reconsideration of the outstanding objection and allowance of all the claims pending in the present application. Such action is respectfully requested and is now believed to be appropriate and proper.

#### SUMMARY AND CONCLUSION

In view of the foregoing, it is submitted that the present response is proper, and fulfils Applicants requirement for response to the Ex parte Quayle Office Action.


Accordingly, consideration of the present response, reconsideration of the outstanding Office Action, and allowance of the present application

and all of the claims therein are respectfully requested and now believed to be appropriate.

Applicants have made a sincere effort to place the present application in condition for allowance and believe that they have now done so.

Should the Examiner have any questions concerning this Response, or the present application, the Examiner is respectfully requested to contact the undersigned at the below-listed telephone number.

Respectfully Submitted,  
Young-Hwan PARK et al.

  
Bruce H. Bernstein  
Reg. No. 29,027

William E. Lyddane  
Reg. No. 41,568

December 14, 2005  
GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191